MAIL TO:

STATE OF UTAH
DIVISION OF PURCHASING
3150 STATE OFFICE BUILDING, CAPITOL HILL
P.O. BOX 141061
SALT LAKE CITY, UTAH 84114-1061
TELEPHONE (801) 538-3026
FAX (801) 538-3882
http://www.purchasing.state.ut.us

Request for Quotation



Solicitation Number: RF2163

Due Date: 04/25/02

Date Sent: April 15, 2002

Goods and services to be purchased: TOOLS

Please complete

Company Name		Federal Ta	ax Identification Number		
Ordering Address	City	State	Zip Code		
Remittance Address (if different from ordering address)	City	State	Zip Code		
Type ☐ Corporation ☐ Partnership ☐ Proprietorship ☐ Government	Company Contact Person				
Telephone Number (include area code)	Fax Number (include area code)				
Company's Internet Web Address	Email Address				
Discount Terms (for bid purposes, bid discounts less than 30 days will not be considered)	Days Required for Delivery After Receipt of Order (see attached for any required minimums)				
The following documents are included in this solicitation: Solicitation forms, instructions and general provisions, and specifications. Please review all documents carefully before completing. The undersigned certifies that the goods or services offered are produced, mined, grown, manufactured, or performed in Utah. Yes No If no, enter where produced, etc					
· ·	·				
Offeror's Authorized Representative's Signature	Date				
Type or Print Name	Position or Title				

Request for Quotation

Solicitation Number: RF2163

Due Date: 04/25/02

Vendor Name:

Item#	Qty	Unit	Description	Unit Price	Extension
001	1	EACH	NORMAL DUTY RECIPROCATING SAW 7.5 AMP 0-2800 STOKES PER MINUTE GEAR PROTECTION SYSTEM QUICK LOCK BLADE CLAMP SUGGESTED MODEL - SAWSALL #6517-20 (OR EQUAL)	\$	\$
002	1	EACH	7" ROTARY GRINDER 15 AMP MOTOR 6000 RPM NO LOAD SPEED NO NOISE COOLING FAN 3 POSITION HANDLE DUST PROOF SWITCH HOUSING 2900-MAX WATTS OUT WEIGHT - 11 POUNDS 5/8 -11" SPINDLE THREAD SPANNER WRENCH SIDE HANDLE HEX BAR WRENCH WHEEL GUARD SUGGESTED MODEL - HITACHI G18SE2 -7" (OR EQUAL)	\$	\$
003	1	EACH	ROTOZIP SPIRAL SAW 12 VOLT DC MOTOR 23700/RPM 1 HOUR SMART CHARGER POSITIVE COLLET SYSTEM HIGH CAPACITY 17 AMP BATTERY SUGGESTED MODEL - ROTOZIP #SCSO2 (OR EQUAL)	\$	\$
004	1	EACH	HEAVY DUTY RECHARGEABLE JIG SAW 18 VOLT BATTERY 45 DEGREE ADJUSTABLE SHOE -FORWARD AND BACKWARD VARIABLE SPEED TRIGGER COUNTER BALANCE SYSTEM 3 POSITION ORBITAL ACTION 0-2000 STROKES PER MINUTE 1" STOKE LENGTH 34' PER MINUTE CUTTING SPEED KEYLESS BLADE CLAMP DUST BLOWER TOTAL WEIGHT - 5.5 POUNDS SUGGESTED MODEL - DEWALT #DW933K (OR EQUAL)	\$	\$
005	1	EACH	HEAVY DUTY COMPOUND MITER SAW 15 AMP MOTOR 4000-RPM NO LOAD SPEED 12" BLADE DIAMETER 5/8" OR 1" ARBOR SIZE VERTICAL CAPACITY: BASEBOARD AGAINST FENCE - 6" VERTICAL CAPACITY: CROWN MOLDING VERTICALLY NESTED - 6-5/8" HORIZONTAL CAPACITY: BASEBOARD LYING FLAT - 8" HORIZONTAL CAPACITY: CROWN MOLDING LYING FLAT - 6-1/2" 45 DEGREE BEVEL CUT CAPACITY (DIMENSIONAL LUMBER) 2"X8" LEFT AND RIGHT 90 DEGREE CROSS-CUT CAPACITY (DIMENSIONAL LUMBER) 4" X6" 90 DEGREE CROSS-CUT CAPACITY (MAX WIDTH) 2"X 8" DIMENSIONAL LUMBER 45 DEGREE MITER CUT CAPACITY (MAX HEIGHT) 4"X 4" DIMENSIONAL LUMBER 45 DEGREE MITER CUT CAPACITY (MAX WIDTH) 2" X 6" DIMENSIONAL LUMBER 45 DEGREE MITER CUT CAPACITY (MAX WIDTH) 2" X 6" DIMENSIONAL LUMBER 45 DEGREE MITER CUT CAPACITY (MAX WIDTH) 2" X 6" DIMENSIONAL LUMBER 45 DEGREE MITER CUT CAPACITY (MAX WIDTH) 2" X 6" DIMENSIONAL LUMBER 5UGGESTED MODEL - DEWALT #DW706 (OR EQUAL)	\$	\$

Request for Quotation

Solicitation Number: RF2163

Due Date: 04/25/02

Vendor Name:

Item#	Qty	Unit	Description	Unit Price	Extension
006	1	EACH	TABLE SAW W/PORTABLE CART 1.5 HP 120/240 VOLT MOTOR 13/6 AMPS MACHINE STEEL PULLEY AND POLY BELT DRIVE 10" 40 TOOTH CARBIDE BLADE DEPTH OF CUT - 3-3/8" @ 90 DEGREES 2-1/4" @ 45 DEGREES 20" X 27" MAIN TABLE (CAST IRON) 12" X 27" EXTENSIONS (CAST IRON) 24" LEFT/RIGHT RIP CAPACITY MICRO ADJUST RIP FENCE CASTER PLATFORM SUGGESTED MODEL- RIGID, #TS2424LS (OR EQUAL)	\$	\$
007	2	EACH	PNEUMATIC ROOF NAIL GUN COIL, WIRE COLLATION 7/8" - 1 3/4 " X .120 STEEL BODY WEAR PROTECTORS DEPTH OF DRIVE ADJUSTMENT CARBIDE TIPPED PUSH LEVER RUBBER SAFETY VALVE COVERING 120 NAIL CAPACITY 70-120 PSI OPERATING PRESSURE SINGLE TRIP TRIGGER MECHANISM SUGGESTED MODEL - HITACHI #NV45AB (OR EQUAL)	\$	\$
008	2	EACH	PNEUMATIC FRAMING CLIPPED HEAD NAIL GUN 3 NAIL/SECOND FIRING REAR LOADING ONE PIECE MAGAZINE 96 NAIL CAPACITY CAST ALUMINUM BODY SUGGESTED MODEL - HITACHI #MR83AA 2 - CLIPPED HEAD (OR EQUAL)	\$	\$
009	1	EACH	2 1/2" PNEUMATIC FINISH NAIL GUN 3/4" - 2 1/2" 16GA, NAILS HARDENED STEEL DRIVE BLADE DEPTH OF DRIVE ADJUSTMENT QUICK RELEASE NOSE PIECE REMOVABLE RUBBER SAFETY NOSE DIE-CAST BODY MUFFLED, ADJUSTABLE EXHAUST PORT TOP-LOAD MAGAZINE NAILER MAGAZINE INSERT TO ADAPT FOR 3/4"-1 1/4" NAILS 1/4" MALE QUICK COUPLER WITH DUST COVER SUGGESTED MODEL - PORTER-CABLE #FN250A (OR EQUAL)	\$	\$
010	1	EACH	2" PNEUMATIC FINISH NAIL GUN 3/4" - 2" 18GA, NAILS HARDENED STEEL DRIVE BLADE SEQUENTIAL FIRE TRIGGER SAFETY BEHIND THE DRIVING GUIDE DEPTH OF DRIVE ADJUSTMENT QUICK RELEASE NOSE PIECE REMOVABLE RUBBER SAFETY NOSE DIE-CAST BODY DIRECTIONAL EXHAUST PORT 1/4" MALE QUICK COUPLER WITH DUST COVER SUGGESTED MODEL - PORTER-CABLE # BN200A (OR EQUAL)	\$	\$

Request for Quotation

Solicitation Number: RF2163

Due Date: 04/25/02

Vendor Name:

Item#	Qty	Unit	Description	Unit Price	Extension
011	1	EACH	1 1/4" PNEUMATIC FINISH NAIL GUN 5/4" - 1 1/4" 18GA, NAILS HARDENED STEEL DRIVE BLADE SEQUENTIAL FIRE TRIGGER SAFETY BEHIND THE DRIVING GUIDE DEPTH OF DRIVE ADJUSTMENT QUICK RELEASE NOSE PIECE REMOVABLE RUBBER SAFETY NOSE DIE-CAST BODY DIRECTIONAL EXHAUST PORT 1/4" MALE QUICK COUPLER WITH DUST COVER SUGGESTED MODEL - PORTER-CABLE #BN125A (OR EQUAL)	\$	\$
012	1	EACH	NEUMATIC CONSTRUCTION STAPLER DRIVING POWER - 340 INCH POUNDS 1"- 2" 17GA , FASTENER RANGE 70-120 POUND OPERATING PRESSURE 10.69" HEIGHT 13.31" LENGTH 3.31" WIDE MOLDED RUBBER GRIP ADJUSTABLE TRIP CONTACT AND SEQUENTIAL TRIPS SUGGESTED MODEL - BOSTITICH #650S5 (OR EQUAL)	\$	\$
013	1	EACH	6' EMPIRE LEVEL	\$	\$
014	1	EACH	3/8" AC DRILL 5.5 AMP 120VOLT MOTOR 0-2800 RPM HEAVY DUTY INDUSTRIAL ALL METAL TWO SLEEVE KEYLESS CHUCK TRIGGER SPEED CONTROL W/REVERSING 8' 2 WIRE RUBBER CORD BRUSH CARTRIDGE SYSTEM SUGGESTED MODEL - MILWAUKEE #0233-21 (OR EQUAL)	\$	\$
015	1	EACH	1/2" AC DRILL 8.0 AMP 120VOLT MOTOR 0 - 850 RPM ALL METAL GRIP-LOCK SINGLE SLEEVE KEYLESS CHUCK ALL METAL GEAR CASE AND DIAPHRAGM 8' 3-WIRE QUICK LOCK RUBBER CORD 360 DEGREE LOCKING SIDE HANDLE SUGGESTED MODEL - MILWAUKEE #0302-20 (OR EQUAL)	\$	\$
016	1	EACH	1 3/8" DC CORDLESS DRILL 18 VOLT DC W/QUICK 1 HOUR CHARGER EXTRA BATTERY KEYLESS CHUCK ADJUSTABLE CLUTCHM AX TORQUE 325 LBS 0-400 / 0-1,450 RPM MULTI POSITION ADJUSTABLE CLUTCH REVERSING SUGGESTED MODEL - DEWALT #DW958K-2	\$	\$
017	1	EACH	FOUR PIECE CARPENTER BELT	\$	\$
018	1	EACH	18 VOLT CORDLESS RECIPROCATING SAW 18 VOLT DC W/QUICK 1 HOUR CHARGER EXTRA BATTERY KEYLESS BLADE CLAMP 7/8" STROKE @ 2800 SPM ELECTRIC BRAKE PIVOTING SHOE FLUSH PLUNGE CUTTING CAPABILITY VARIABLE SPEED W/TRIGGER LOCK SUGGESTED MODEL - DEWALT #DW938K (EQUAL TO)	\$	\$

Request for Quotation

Solicitation Number: RF2163

Due Date: 04/25/02

Vendor Name:

Item#	Qty	Unit	Description	Unit Price	Extension
019	1	EACH	GAS POWERED AIR COMPRESSOR 5.5HP GX SERIES HONDA EINGINE 8 GALLON AIR TANK WHEELBARROW TYPE HIGH FLOW REGULATOR AND AIR GAUGES 110 PSI START 135PSI STOP OIL LUBRICATED PUMP DESIGN CAST IRON CYLINDER SLEEVES ALL COPPER TUBING METAL BELT GUARD ASME SAFETY VALVE 1/4" QUICK COUPLER SUGGESTED MODEL - PORTER-CABLE #CPL55GH8W (OR EQUAL)	\$	\$
020	1	EACH	GASOLINE POWERED GENERATOR 5250 CONTINUOUS WATTS 6500 SURGE WATTS 7 GALLON TANK 10 HP BRIGGS & STRATTON ENGINE CAST IRON CYLINDER SLEEVES 80-90 DBA ADVANCED ALTERNATOR DESIGN METAL CONSTRUCTION W/ BALL BEARINGS RUBBER VIBRATION DAMPENERS CIRCUIT BREAKER PROTECTION 120 VOLT DUPLEX AND 120/240 VOLT TWIST LOCK OUTLETS PORTABILITY KIT SUGGESTED MODEL - PORTER CABLE #BS525-W	\$	\$
021	1	EACH	30" POWER TROWEL 5.5HP GASOLINE HONDA ENGINE 30" BLADES FINGERTIP THROTTLE CONTROL OPENED OR CLOSED GUARD RING HEAVY DUTY GEAR BOX 80 ROTATIONS PER MINUTE SEALED SPIDER PLATE ASSEMBLY FINE PITCH CONTROL KNOB SUGGESTED MODEL - BARTELL #B430-H (OR EQUAL)	\$	\$
022	1	EACH	POWER CONCRETE SCREED 5' AND 10' WET SCREEN FLOATS 1.5HP HONDA GX31, 31CC, 4 STROKE ENGINE CAST HEATED MAGNESIUM FRAME VIBRATING HEAD WEIGHT - 36 POUNDS SUGGESTED MODEL - VIBRA STRIKE II (OR EQUAL)	\$	\$

WITH QUESTIONS REGARDING THE ITEMS MENTIONED ABOVE, PLEASE CONTACT WILLIAM PITT AT (435)734-9408.

QUESTIONS REGARDING THE BID PROCESS SHOULD BE DIRECTED TO ROSEMARY FRENCHWOOD AT (801)538-3147.

THIS IS A REQUEST FOR QUOTATION, THEREFORE, YOU MAY FAX YOUR BID RESPONSE TO (801)538-3882.

REFERENCE RX#: 400 23-37

Request for Quotation

Solicitation Number: RF2163

Due Date: 04/25/02

NORMAN SPENCER, 281 WEST 500 NORTH BRIGHAM CITY, UT 84302 Ship To:

FREIGHT CHARGES (if applicable)

SHIPPING POINT AND ZIP CODE				
SHIPPING WEIGHT				
MODE OF TRANSPORTATI	ON (Please check one)			
Q Small package/Ground	Q LTL(Less than truck load) NMFC Class # NMFC Item #	Q Truckload	Q Ai	ir Q Other (Please specify)
TOTAL PRICE LESS FREIG	HT (FOB Origin)			\$
TOTAL PRICE INCLUDING	FREIGHT (FOB Destination)			\$

- 1. QUOTATION PREPARATION: (a) All prices and notations must be in ink or typewritten. (b) Price each item separately. Unit price shall be shown and a total price shall be entered for each item bid. Errors may be crossed out and corrections printed in ink or typewritten adjacent and must be initialed in ink by person signing quotation. (c) Unit price will govern, if there is an error in the extension. (d) Delivery time is critical and must be adhered to as specified. (e) Wherever in this document an item is defined by using a trade name of a manufacturer and/or model number, it is intended that the words, "or equivalent" apply. "Or equivalent" means any other brand that is equal in use, quality, economy and performance to the brand listed as determined by the Division of Purchasing & General Services (DIVISION). If the vendor lists a trade name and/or catalog number in the bid, the DIVISION will assume the item meets the specifications unless the quote clearly states it is an alternate, and describes specifically how it differs from the item specified. All quotes must include complete manufacturer's descriptive literature if quoting an equivalent product. (f) By signing the quotation the vendor certifies that all of the information provided is accurate, that they are willing and able to furnish the item(s) specified, and that prices quoted are correct. (g) This quote may not be withdrawn for a period of 60 days from quote due date. (h) Incomplete quotes may be rejected.
- SUBMITTING THE QUOTATION: (a) The quote must be signed in ink and returned to the DIVISION OF PURCHASING, 3150 State Office Building, Capitol Hill, Salt Lake City, UT 84114-1061 by due date and time. The "Solicitation Number" and "Due Date" must appear on the outside of the envelope. (b) The state reserves the right to consider faxed quotes. Fax quotes are submitted at the sole option and risk of the vendor and must be responsive to all conditions and specifications included in the Request for Quotation (RFQ). Access to state facsimile machine is on a "first come first served" basis and the state does not guarantee the vendor's access to the machine at any particular time. (c) All prices quoted must be both F.O.B. Origin and F.O.B. Destination. Additional charges including but not limited to delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, costs of bonds, or for any other purpose must be included in the quotation for consideration and approval by the DIVISION. Upon award of the contract, the shipping terms will be F.O.B. Destination, Freight Prepaid with freight charges to be added to the invoice unless otherwise specified by the DIVISION.
- 3. FAILURE TO RESPOND: Failure to respond may result in the removal of your firm from the vendor's list for the commodity(s) listed.
- 4. PROPRIETARY INFORMATION: Suppliers are required to mark any specific information contained in their quote which is not to be disclosed to the public or used for purposes other than the evaluation of the quote. Each request for non-disclosure must be accompanied by a specific justification explaining why the information is to be protected. Pricing and service elements of any quote will not be considered proprietary. All material becomes the property of the state and may be returned only at the state's option. Quotes submitted may be reviewed and evaluated by any persons at the discretion of the state.
- **5. BONDS:** The state has the right to require a bid bond, payment bond and/or a faithful performance bond from the vendor in an amount not to exceed the amount of the contract.
- **6. SAMPLES:** Samples of item(s) specified in the RFQ, when required by DIVISION, must be furnished free of charge to DIVISION. Any items not destroyed by tests may, upon request made at the time the sample is furnished, be returned at the vendor's expense.
- 7. WARRANTY (including Year 2000):

The contractor agrees to warrant and assume responsibility for each hardware, firmware, and/or software product (hereafter called the product) that it licenses, or sells, to the State of Utah under this contract. The contractor acknowledges that the Uniform Commercial Code applies to this contract. In general, the contractor warrants that: (a) the product will do what the salesperson said it would do, (b) the product will live up to all specific claims that the manufacturer makes in their advertisements, (c) the product will be suitable for the ordinary purposes for which such product is used, (d) the product will be suitable for any special purposes that the State has relied on the contractor's skill or judgement to consider when it advised the State about the product, especially to ensure year 2000 compatibility and fitness, (e) the product has been properly designed and manufactured, and (f) the product is free of significant defects or unusual problems about which the State has not been warned. In general,

- "year 2000 compatibility and fitness" means: (1) the product warranted by the contractor will not cease to perform before, during, or after the calendar year 2000, (2) the product will not produce abnormal, invalid, and/or incorrect results before, during, or after the calendar year 2000, (3) will include, but not be limited to, date data century recognition, calculations that accommodate same century and multi-century formats, date data values that reflect century, and (4) accurately process date data (including, but not limited to, calculating, comparing, and sequencing) from, into, and between the twentieth and twentyfirst centuries, including leap year calculations. If problems arise, the contractor will repair or replace (at no charge to the State) the product whose noncompliance is discovered and made known to the contractor in writing. If there is a Year 2000 problem, the contractor agrees to immediately assign senior engineering staff to work continuously until the product problem is corrected, time being of the essence. Nothing in this warranty will be construed to limit any rights or remedies the State of Utah may otherwise have under this contract with respect to defects other than Year 2000 performance.
- **8. DIVISION APPROVAL:** Purchase Orders placed, or contracts written, with the State of Utah, as a result of this RFQ, will not be legally binding without the appropriate signature of the DIVISION.
- AWARD OF CONTRACT: (a) This is an informal quotation which will not be read at a public opening; however, the information may be publicly reviewed after award. To obtain a copy of this record (tabulation) you may either enclose a stamped self-addressed envelope, or review tabulation in our office. (b) The contract will be awarded with reasonable promptness, by written notice to the lowest responsible vendor that meets the specifications. Consideration will to be given to the quality of the product(s) to be supplied, conformity to the specifications, the purpose for which required, delivery time required, discount terms and other criteria set forth in this request for quotation. (c) The DIVISION may accept any item or group of items, or overall low quote. (d) The DIVISION has the right to cancel this request for quotation at any time prior to the award of contract. (e) The DIVISION can reject any and all quotes or waive any informality, or technicality in any quote received, if the DIVISION believes it would serve the best interest of the State. (f) Before, or after, the award of a contract the DIVISION has the right to inspect the vendor's premises and all business records to determine the holder's ability to meet contract requirements. (g) Estimated quantities are for quoting purposes only, and not to be interpreted as a guarantee to purchase any amount. (h) Utah has a reciprocal preference law which will to be applied against vendors quoting products or services produced in states which discriminate against Utah products. For details see Section 63-56 20.5 -20.6, Utah Code Annotated. (i) Multiple contracts may be awarded if the State determines it would be in its best
- 10. ANTI-DISCRIMINATION ACT: The vendor agrees to abide by the provisions of the Utah Anti-discrimination Act, Title 34 Chapter 35, U.C.A. 1953, as amended, and Title VI and Title VII of the Civil Rights Act of 1964 (42 USC 2000e), which prohibit discrimination against any employee or applicant for employment, or any applicant or recipient of services, on the basis of race, religion, color, or national origin; and further agrees to abide by Executive Order No. 11246, as amended, which prohibits discrimination on the basis of sex; 45 CFR 90 which prohibits discrimination on the basis of age, and Section 504 of the Rehabilitation Act of 1973, or the Americans with Disabilities Act of 1990, which prohibits discrimination on the basis of disabilities. Also vendor agrees to abide by Utah's Executive Order, dated March 17, 1993, which prohibits sexual harassment in the workplace. Vendor must include this provision in every subcontract or purchase order relating to purchases by the State of Utah to insure that the subcontractors and vendors are bound by this provision.
- 11. **DEBARMENT:** The CONTRACTOR certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction (contract) by any governmental department or agency. If the CONTRACTOR cannot certify this statement, attach a written explanation for review by the STATE.
- **12. GOVERNING LAWS AND REGULATIONS:** All state purchases are subject to the Utah Procurement Code, Title 63 Chapter 56 U.C.A. 1953, as amended, and the Procurement Regulations as adopted by the Utah State Procurement Policy Board. These are available on the Internet at www.purchasing.state.ut.us. (Revision April 1, 1999 RFQ.Instructions)